

EDUARDO LABANAN CARLDE JR.

Blk 1 Lot 1 Citilane Subdivision, Malagasang 2f, Imus Cavite, Philippines

Contact no: 09665465310

PERSONAL DATA:

Email: Eduardocaraldejr.20@gmail.com

Nationality: Filipino

Status: Single

Date of Birth: September 20, 1983

Place of Birth: Misamis Oriental

Gender : Male

Age: 40 years old

Height: 5`8

Weight: 74kls

Religion: Roman Catholic

EDUCATIONAL BACKGROUND

Tup-on Elementary School (Tup-on Elementary School)

1995-1996

Medina National High (Medina, Misamis Oriental)

1999-2000

**QC-STYRO PACKAGING CORPORATION
UNDER AGENCY OF JOBNCARE INCORPORATED &
YC MANPOWER SOLUTION SERVICES
THERMOFORMING OPERATOR
2010-2014**

**QC-STYRO PACKAGING CORPORATION
UNDER AGENCY OF YC MANPOWER SOLUTION SERVICES
& PPBB MANPOWER SERVICES
PRODUCTION TECHNICIAN
2014 – AUGUST 2018**

ARNON PLASTIC INDUSTRIES CO. LTD.

DAMMAM, SAUDI ARABIA

THERMOFORMING OPERATOR

OCTOBER 2018-2022

- Switch on heater power supply and set desired temperatures.
- Heat up the machine for 15-30 minutes until thermo-controller reaches the set points.

- Open cooling valve, vacuum valve and air valve.
- Prepare materials use for the machine.
- Insert round steel at the center of the roll then put the roll at the pack winder.
- Mount the roll sheets at the chain conveyor, watch out to the moving sprocket conveyor.
- Press start at the touch screen parameter to start forming process.
- Checking the quantity output standard and quality of the product.
- Daily production output report must be submitted to the immediate superior.
- Maintaining machine cleanliness and safety precautions to avoid accident.
- Follow company rules and regulations.

MATERIALS USED FOR THE PRODUCT
 PSP- POLYSTYRENE PROPYLENE
 PET – POLYETHYLENE TEREPTHALATE
 PP – POLY PROPPYLENE
 PS – POLYSTYRENE

PRODUCTION TECHNICIAN

- Monitor and check the schedule which is scheduled for machine changing mould for daily
- Performed machine change mould dismount and mounting mould to the machine, install air/vacuum hose, cooling hose, mould alignment is very important, cutter settings cutter alignment, set cutter roll guide and product catchbin.
- Machine stabilization before turn it over to the operator
- Set standard parameter and timing sequence of lower and upper mould it depends upon the requirement of the product.
- Make sure that the running products on the machine are in the standard level cycle time and quality standard.
- Secure product sample for Q.A approval to under go mass production
- Performed minor machine repair.
- Assist maintenance personnel of any machine trouble in electrical and mechanical works.
- Performed tasks from time to time.

I hereby certify that the information are true and correct to the best of my knowledge and belief.

SIGNATURE

